SOAPP®-R Consultants in Pain Management

| Patient Name: | Date of Birth |
|---------------|---------------|
| Date: | |

Directions: Following are some questions given to patients who are on or are being considered for medication for their pain. Please answer each question as honestly as possible. There are no right or wrong answers.

| | Never | Seldom | Sometimes | Often | Very Often |
|---|-------|--------|-----------|-------|------------|
| | 0 | 1 | 2 | 3 | 4 |
| How often do you have mood swings? | О | О | 0 | О | О |
| How often have you felt a need for higher doses of medication to treat your pain? | О | О | О | О | О |
| How often have you felt impatient with your doctors? | О | О | О | О | О |
| How often have you felt that things are just too overwhelming that you can't handle them? | О | О | 0 | О | О |
| 5. How often is there tension in the home? | o | О | О | О | О |
| 6. How often have you counted pain pills to see how many are remaining? | О | O | O | O | О |
| 7. How often have you been concerned that people will judge you for taking pain medication? | O | o | O | O | О |
| 8. How often do you feel bored? | О | О | О | О | О |
| 9. How often have you taken more pain medication than you were supposed to? | o | 0 | О | o | О |
| 10. How often have you worried about being left alone? | О | O | О | О | О |
| 11. How often have you felt a craving for medication? | О | 0 | О | 0 | О |
| 12. How often have others expressed concern over your use of medication? | О | О | О | О | О |

| | Never | Seldom | Sometimes | Often | Very Often |
|--|-------|--------|-----------|-------|------------|
| | 0 | 1 | 2 | 3 | 4 |
| 13. How often have any of your close friends had a problem with alcohol or drugs? | О | o | О | 0 | О |
| 14. How often have others told you that you had a bad temper? | 0 | О | О | О | О |
| 15. How often have you felt consumed by the need to get pain medication? | О | О | О | О | О |
| 16. How often have you run out of pain medication early? | 0 | О | O | 0 | 0 |
| 17. How often have others kept you from getting what you deserve? | O | О | O | 0 | О |
| 18. How often, in your lifetime, have you had legal problems or been arrested? | О | О | O | О | О |
| 19. How often have you attended an AA or NA meeting? | 0 | О | O | 0 | О |
| 20. How often have you been in an argument that was so out of control that someone got hurt? | О | О | О | 0 | О |
| 21. How often have you been sexually abused? | О | О | О | 0 | О |
| 22. How often have others suggested that you have a drug or alcohol problem? | О | O | О | 0 | О |
| 23. How often have you had to borrow pain medications from your family or friends? | О | О | O | 0 | О |
| 24. How often have you been treated for an alcohol or drug problem? | O | O | 0 | O | О |

©2007 Inflexxion®, Inc. All rights reserved. 320 Needham Street, Suite 100, Newton, MA 02464

• Phone (617) 332-6028 • Fax (617) 332-1820 • www.inflexxion.com

The Screener and Opioid Assessment for Patients with Pain was developed with a grant from the National Institutes of Health (#2R44DA015617-02)

Please include any additional information you wish about the above answers. Thank you.

PATIENT HEALTH QUESTIONNAIRE (PHQ-9)

| NAME: | DATE: | | | |
|--|----------------|-----------------|------------------|---------------------|
| Over the last 2 weeks, how often have you been | | | | |
| bothered by any of the following problems? | | | More than | |
| (use "√" to indicate your answer) | Not at all | Several days | half the days | Nearly every day |
| 1. Little interest or pleasure in doing things | 0 | 1 | 2 | 3 |
| 2. Feeling down, depressed, or hopeless | 0 | 1 | 2 | 3 |
| 3. Trouble falling or staying asleep, or sleeping too much | 0 | 1 | 2 | 3 |
| 4. Feeling tired or having little energy | 0 | 1 | 2 | 3 |
| 5. Poor appetite or overeating | 0 | 1 | 2 | 3 |
| 6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down | 0 | 1 | 2 | 3 |
| 7. Trouble concentrating on things, such as reading the newspaper or watching television | 0 | 1 | 2 | 3 |
| 8. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so figety or restless that you have been moving around a lot more than usual | 0 | 1 | 2 | 3 |
| 9. Thoughts that you would be better off dead, or of hurting yourself | 0 | 1 | 2 | 3 |
| | add columns | - | - | |
| (Healthcare professional: For interpretation of TOTA please refer to accompanying scoring card). | AL, TOTAL: | | | |
| 10. If you checked off any problems, how difficult | | Not diffi | cult at all | |
| have these problems made it for you to do | | Somew | nat difficult | |
| your work, take care of things at home, or get | Very difficult | | | |
| along with other people? | | - | ely difficult | |

Copyright \odot 1999 Pfizer Inc. All rights reserved. Reproduced with permission. PRIME-MD \odot is a trademark of Pfizer Inc. A2663B 10-04-2005